

Prevention Associates of Idaho Project Towards No Drug Abuse + SFY 2020 Outcomes

Program Form Demographics: Project Towards No Drug Abuse

Cohorts: 26 Total participants: 293

Gender

Female	Male	Unknown
130	158	5
44.4%	53.9%	1.7%

Age Category

0-5	5-11	12-14	15-17	18-20	21-24	25-44	45-64	65 and over	Age Unknown
0	60	137	86	10	0	0	0	0	0
0.0%	20.5%	46.8%	29.4%	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%

Ethnicity

Hispanic	Not Hispanic	Unknown
90	198	5
30.7%	67.6%	1.7%

Race

American Indian or Alaskan Native	Asian	Black or African American	Native Hawaiian or Pacific Islander	White	More Than Once Race	Race Not Known or Other Race
20	5	4	4	158	55	47
6.8%	1.7%	1.4%	1.4%	53.9%	18.8%	16.0%

**Project Towards No Drug Abuse Plus
Older Youth Survey Outcomes**

Surveys submitted

Prevention Associates of Idaho	Project Towards No Drug Abuse+
Count	Count
286	286

Surveys submitted

Pre	Post
151	135

	Pre	Post
1. 30-Day Use - Drink alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips?		
No	81.5%	90.4%
Yes	18.5%	9.6%

	Pre	Post
2. 30-Day Use- Have 5 or more drinks of an alcoholic beverage in a row?		
No	91.4%	94.8%
Yes	8.6%	5.2%

	Pre	Post
3. 30-Day Use - Use tobacco in any form (including cigarettes, chewing tobacco, snuff, dip, or vape)?		
No	84.1%	89.6%
Yes	15.9%	10.4%

		Pre	Post
4. 30-Day Use - Use marijuana in any form (including pot, weed, edibles, or vape)?	No	88.1%	91.9%
	Yes	11.9%	8.1%

		Pre	Post
5. 30-Day Use - Misuse prescription drugs?	No	94.7%	97.0%
	Yes	5.3%	3.0%

		Pre	Post
6. 30-Day Use - Use electronic vaping devices (including e-cigarettes, vape pens, or JUUL)?	No	84.7%	85.9%
	Yes	15.3%	14.1%

		Pre	Post
7. Friends - Drank alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips?	No	68.9%	76.9%
	Yes	31.1%	23.1%

		Pre	Post
8. Friends - Have 5 or more drinks of an alcoholic beverage in a row?	No	80.1%	88.1%
	Yes	19.9%	11.9%

		Pre	Post
9. Friends - Used tobacco in any form (including cigarettes, chewing tobacco, snuff, dip, or vape)?	No	68.9%	78.4%
	Yes	31.1%	21.6%

		Pre	Post
10. Friends -Used marijuana in any form (including pot, weed, edibles, or vape)?	No	74.2%	79.1%
	Yes	25.8%	20.9%

		Pre	Post
11. Friends - Misused prescription drugs?	No	89.4%	93.3%
	Yes	10.6%	6.7%

		Pre	Post
12. Friends - Used electronic vaping devices (including e-cigarettes, vape pens, or JUUL)?	No	62.3%	71.6%
	Yes	37.7%	28.4%

		Pre	Post
13. How often do you stop to think about your options before you make a decision?	Never	10.6%	6.7%
	Sometimes but not often	27.2%	23.0%
	Often	32.5%	35.6%
	All of the time	29.8%	34.8%

		Pre	Post
14. How often do you stop to think about how your decisions may affect others feelings?	Never	16.0%	5.9%
	Sometimes but not often	27.3%	23.0%
	Often	24.0%	38.5%
	All of the time	32.7%	32.6%

		Pre	Post
15. How often do you stop and think about all of the things that may happen as a result of your decisions?	Never	16.7%	6.0%
	Sometimes but not often	24.0%	27.1%
	Often	27.3%	31.6%
	All of the time	32.0%	35.3%

		Pre	Post
16. I make good decisions.	Never	6.0%	5.2%
	Sometimes but not often	24.2%	19.4%
	Often	42.3%	45.5%
	All of the time	27.5%	29.9%

		Pre	Post
17. Harm - Smoke one or more packs of cigarettes per day?	No risk	21.9%	14.1%
	Slight risk	6.0%	2.2%
	Moderate risk	23.2%	20.7%
	Great risk	49.0%	63.0%

		Pre	Post
18. Harm - Use chewing tobacco, snuff, or dip?	No risk	27.3%	13.3%
	Slight risk	14.0%	10.4%
	Moderate risk	30.7%	27.4%
	Great risk	28.0%	48.9%

		Pre	Post
19. Harm - Use marijuana once or twice per week?	No risk	33.3%	21.5%
	Slight risk	16.0%	13.3%
	Moderate risk	18.7%	23.7%
	Great risk	32.0%	41.5%

		Pre	Post
20. Harm - Have one or two alcoholic beverages nearly every day?	No risk	27.7%	14.9%
	Slight risk	20.9%	14.2%
	Moderate risk	19.6%	25.4%
	Great risk	31.8%	45.5%

		Pre	Post
21. Harm - Have five or more drinks of an alcoholic beverage once or twice a week?	No risk	26.7%	16.3%
	Slight risk	10.7%	12.6%
	Moderate risk	23.3%	18.5%
	Great risk	39.3%	52.6%

		Pre	Post
22. Harm - Misuse prescription drugs?	No risk	24.0%	14.1%
	Slight risk	11.3%	5.2%
	Moderate risk	13.3%	16.3%
	Great risk	51.3%	64.4%

		Pre	Post
23. Harm - Use electronic vaping devices (including e-cigarettes, vape pens, or JUUL)?	No risk	26.0%	17.0%
	Slight risk	19.3%	14.1%
	Moderate risk	22.7%	21.5%
	Great risk	32.0%	47.4%

		Pre	Post
14. How often do you stop to think about how your decisions may affect others' feelings?	Never	16.0%	5.9%
	Sometimes but not often	27.3%	23.0%
	Often	24.0%	38.5%
	All of the time	32.7%	32.6%

		Pre	Post
24. Wrong - Drink alcohol?	Not at all wrong	10.6%	8.9%
	A little bit wrong	13.2%	13.3%
	Wrong	29.8%	24.4%
	Very wrong	46.4%	53.3%

		Pre	Post
25. Wrong - Have five or more alcoholic beverages once or twice per week?	Not at all wrong	9.3%	6.7%
	A little bit wrong	7.3%	7.4%
	Wrong	19.2%	21.5%
	Very wrong	64.2%	64.4%

		Pre	Post
26. Wrong - Use tobacco?	Not at all wrong	9.3%	7.4%
	A little bit wrong	9.9%	8.9%
	Wrong	21.9%	25.9%
	Very wrong	58.9%	57.8%

		Pre	Post
27. Wrong - Use marijuana?	Not at all wrong	12.6%	11.9%
	A little bit wrong	9.3%	6.7%
	Wrong	19.2%	16.4%
	Very wrong	58.9%	64.9%

		Pre	Post
28. Wrong - Misuse prescription drugs?	Not at all wrong	7.9%	6.7%
	A little bit wrong	6.0%	3.7%
	Wrong	18.5%	11.1%
	Very wrong	67.5%	78.5%

		Pre	Post
29. Wrong - Use electronic vaping devices (including e-cigarettes, vape pens, or JUUL)?	Not at all wrong	10.5%	9.2%
	A little bit wrong	16.1%	13.0%
	Wrong	21.7%	26.0%
	Very wrong	51.7%	51.9%

		Pre	Post
30. Friend wrong - Drink alcohol?	Not at all wrong	12.6%	8.2%
	A little bit wrong	11.9%	16.4%
	Wrong	27.8%	23.9%
	Very wrong	47.7%	51.5%

		Pre	Post
31. Friend wrong - Have five or more alcoholic beverages once or twice per week?	Not at all wrong	10.0%	5.2%
	A little bit wrong	4.7%	14.2%
	Wrong	21.3%	22.4%
	Very wrong	64.0%	58.2%

		Pre	Post
32. Friend wrong - Use tobacco?	Not at all wrong	9.3%	6.7%
	A little bit wrong	5.3%	11.9%
	Wrong	24.7%	22.4%
	Very wrong	60.7%	59.0%

		Pre	Post
33. Friend wrong - Use marijuana?	Not at all wrong	14.0%	8.9%
	A little bit wrong	6.7%	9.6%
	Wrong	24.0%	20.0%
	Very wrong	55.3%	61.5%

		Pre	Post
34. Friend wrong - Misuse prescription drugs?	Not at all wrong	10.7%	5.9%
	A little bit wrong	3.4%	6.7%
	Wrong	19.5%	20.7%
	Very wrong	66.4%	66.7%

		Pre	Post
35. Friends wrong - Use electronic vaping devices (including e-cigarettes, vape pens, or JUUL)?	Not at all wrong	13.2%	13.2%
	A little bit wrong	14.6%	12.4%
	Wrong	24.5%	19.4%
	Very wrong	47.7%	55.0%

		Pre	Post
36. You are at a party where most people are using it?	I am not sure at all that I can say no	11.9%	6.8%
	I am slightly sure I can say no	7.9%	4.5%
	I am somewhat sure I can say no	9.9%	9.8%
	I am mostly sure I can say no	11.9%	13.5%
	I am completely sure I can say no	58.3%	65.4%

		Pre	Post
37. A very close friend suggests that you use it?	I am not sure at all that I can say no	11.3%	7.6%
	I am slightly sure I can say no	7.9%	5.3%
	I am somewhat sure I can say no	9.9%	5.3%
	I am mostly sure I can say no	13.9%	15.2%
	I am completely sure I can say no	57.0%	66.7%

		Pre	Post
38. You are home alone and feeling sad or bored?	I am not sure at all that I can say no	10.6%	6.0%
	I am slightly sure I can say no	6.0%	7.5%
	I am somewhat sure I can say no	4.6%	3.8%
	I am mostly sure I can say no	13.9%	10.5%
	I am completely sure I can say no	64.9%	72.2%

		Pre	Post
39. You are on school property and someone offers it?	I am not sure at all that I can say no	9.3%	6.0%
	I am slightly sure I can say no	2.7%	3.8%
	I am somewhat sure I can say no	5.3%	4.5%
	I am mostly sure I can say no	10.0%	7.5%
	I am completely sure I can say no	72.7%	78.2%

		Pre	Post
40. You are hanging out at a friend's house whose parents aren't home?	I am not sure at all that I can say no	14.8%	7.7%
	I am slightly sure I can say no	7.4%	6.9%
	I am somewhat sure I can say no	6.7%	6.9%
	I am mostly sure I can say no	11.4%	11.5%
	I am completely sure I can say no	59.7%	66.9%

		Pre	Post
41. 6 months -Have you talked with at least one of your parents or caregivers about the dangers of tobacco, alcohol, or drug use?	No	56.3%	41.4%
	Yes	43.7%	58.6%

		Pre	Post
42. 6 months Have you and either of your parents or caregivers discussed family rules or expectations about using drugs?	No	54.7%	38.3%
	Yes	45.3%	61.7%

		Pre	Post
44. What grade are you in?	6th	44.7%	36.6%
	7th	8.0%	11.5%
	8th	14.7%	15.3%
	9th	28.7%	31.3%
	10th	2.7%	1.5%
	11th	0.7%	0.8%
	12th	0.7%	3.1%

		Pre	Post
45. What is your gender?	Male	50.0%	52.3%
	Female	42.7%	43.8%
	Other		0.8%
	I prefer not to say	7.3%	3.1%

		Pre	Post
Race	Asian	3.3%	3.0%
	Black	2.6%	2.2%
	Hispanic	18.5%	16.3%
	Multi-race	17.2%	18.5%
	Native American	9.3%	5.9%
	Pacific Islander	0.7%	0.7%
	Unknown	4.0%	2.2%
	White	44.4%	51.1%